

# RAW SEQUENCE LISTING **ERROR REPORT**

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: Date Processed by STIC:

JAN 0 2 2003

TECH CENTER 1600/2900

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS. PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216. PATENTIN 2.1 e-mail help: patin21help@uspto.gov or phone 703-306-4119 (R. Wax) PATENTIN 3.0 e-mail help: patin3help@uspto.gov or phone 703-306-4119 (R. Wax)

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 3.1 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

http://www.uspto.gov/web/offices/pac/checker

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail. Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom. Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

- 1. EFS-Bio (<a href="http://www.uspto.gov/ebc/efs/downloads/documents.htm">http://www.uspto.gov/ebc/efs/downloads/documents.htm</a>>, EFS Submission User Manual - ePAVE)
- 2. U.S. Postal Service: U.S. Patent and Trademark Office, Box Sequence, P.O. Box 2327, Arlington, VA 22202
- 3. Hand Carry directly to:

U.S. Patent and Trademark Office, Technology Center 1600, Reception Area, 7th Floor, Examiner Name, Sequence Information, Crystal Mall One, 1911 South Clark Street, Arlington, VA 22202

- U.S. Patent and Trademark Office, Box Sequence, Customer Window, Lobby, Room 1B03, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202
- 4. Federal Express, United Parcel Service, or other delivery service to: U.S. Patent and Trademark Office, Box Sequence, Room 1B03-Mailroom, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202

Revised 01/29/2002



All Jollowery pages for explanation

Does Not Comply Corrected Diskette Needed 1600

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/105,117J

DATE: 12/13/2002 TIME: 15:15:03

Input Set : A:\Seq\_listing\_US\_korrigiert141102.txt

Output Set: N:\CRF4\12132002\I105117J.raw

- 3 <110> APPLICANT: Forschungszentrum Juelich GmbH
- 5 <120> TITLE OF INVENTION: Process for the microbial production of amino acids by
- 6 boosted activity of export carriers
- 8 <130> FILE REFERENCE: 1
- C--> 10 <140> CURRENT APPLICATION NUMBER: US/09/105,117J
  - 11 <141> CURRENT FILING DATE: 1998-06-17
  - 13 <160> NUMBER OF SEQ ID NOS: 5
  - 15 <170> SOFTWARE: PatentIn Ver. 2.0

## ERRORED SEQUENCES

E>	208	<210>	SEQ	ID	NO:	(complement	to	<210>	1)	
----	-----	-------	-----	----	-----	-------------	----	-------	----	--

209 <221> NAME/KEY: unsure

210 <222> LOCATION: CDS (2)..(652)

211 <223> OTHER INFORMATION: orf3

### W--> 212 <220> FEATURE:

- 213 <221> NAME/KEY: gene
- 214 <222> LOCATION: CDS (1421)..(2293)
- 215 <223> OTHER INFORMATION: LysG

#### W--> 217 <400> 3

218 a	gat	act	cct	ttg	gaa	gaa	acc	atg	tac	gca	ttg	cgt	gac	att	gtt	gcg	49
219	Asp	Thr	Pro	Leu	Glu	Glu	Thr	Met	Tyr	Ala	Leu	Arg	Asp	Ile	Val	Ala	
222										10					<b>1</b> F		

222 tct gga aag gct ctt tac gtg ggt att tct tcc tac ggt cca gag ctc 97 223 Ser Gly Lys Ala Leu Tyr Val Gly Ile Ser Ser Tyr Gly Pro Glu Leu

224 20 25 30

226 aca gcg gag gcg gct gag ttc atg gcg gag gag ggc tgc ccg ctt ctg 227 Thr Ala Glu Ala Ala Glu Phe Met Ala Glu Glu Gly Cys Pro Leu Leu

228 35 40 4

230 att cat cag cca agc tat tcc atc att aat cgt tgg gtg gag gaa ccg 193 231 Ile His Gln Pro Ser Tyr Ser Ile Ile Asn Arg Trp Val Glu Glu Pro

232 50 55 6

234 ggc gat gac ggt gag aac ttg ttg cag tca gct gcc aac aat ggt ctt 24:

235 Gly Asp Asp Gly Glu Asn Leu Leu Gln Ser Ala Ala Asn Asn Gly Leu

236 65 70 75 80 238 ggc gtc att gct ttc tca cca ctt gcg cag ggc ctg ctc acg gac aaa 289

239 Gly Val Ile Ala Phe Ser Pro Leu Ala Gln Gly Leu Leu Thr Asp Lys 240 85 90 95

240 95 242 tat etc gat gga att eca gag ggt tec ege gee age eag ggt aag tee 337

243 Tyr Leu Asp Gly Ile Pro Glu Gly Ser Arg Ala Ser Gln Gly Lys Ser 244 100 105 110

246 ctg tct gag ggc atg ttg aac gtg aac aat att gat atg gtc cgc aag 385

09/105,1175

#### SEQUENCE LISTING

<110> Forschungszentrum Juelich GmbH

<120> Process for the microbial production of amino acids by boosted activity of export carriers

<130> 1 This is a prior application, and <140> US/09/105,117 (PCT/DE96/02485 <141> 1998-06-17 needs to go on <1507 leve. Please ensert prior application filing date on <1517 <160> 5 <170> PatentIn Ver. 2.0 <210> 1 <211> 2374 <212> DNA 62207 never has a response. It is a header <213> Corynebacterium glutamicum <220>(LysE) <221> gene <222> CDS (1016)..(1726) 22237 E <400> 1 ccatttqctq aaqqtqttac tctqcctqqc ccaattcctq cqqqcqaaqa aqtqaaaaac 60 cctgaacctt ttcagaagta actaaggccg caatccctcg attgctgcat caacgacggc 120 gtctgtgagt ctagctagag atctagattc caggcgccat cgttgccaat acatcggtgt 180 qtcaatqqqt atctcatcqa qqaqqatcac ttctcctqct tttaqcatqq qaqcaqcttq 240 ggtttcggga agaagtcccc aaccaaggcc tcggcgaatt gcctcaccaa aaccttccgc 300 egaegggaca atggataege geetgegeee cacaggacca tegaegegee egteeaggte 360 acggtcttga agcacatctt tgggaccgaa gcgtaagacg ggcatcgcag cccaatctag 420 tttcccatca accatgtagg catcccgcaa tgagggggtt gcaatggcca agtggcgcat 480 ggttccaagt tctactactt cacatcccgc cacgggatta gcttcacggg ttaccgctcc 540 taaaacatct ccacgccgca gcaaggataa tgtgtgtgcgct tcatcttcca agcgcagcgt 600 gagegttgct ccaccccaag aagctacctc gttgaacacg ggaggaaacc atgtggatag 660 cgaatctgcg ttgatggcga tggttaacgg gatttcagca aggcgtccag atagttgcgc 720 tttagtttct gcttgcagca acaccatttt ccgcgctgct tgcacaagga cttcacccgc 780 tteggttget ttggeeggtt gggtgegega taccaacact egacecaegt gatgetegag 840 agetttaaeg egetgaetea eegeegaggg ggaaatggaa agggetaagg aggegeette 900 model is safely to a first

................

gaagetgeet teateaatga ttgagageaa agtgteeagt tgaatggggt teatgaaget 960

atattaaacc atgttaagaa co	caatcattt tacttaagta	cttccatagg tcacg atg Met 1	1018
gtg atc atg gaa atc ttc Val Ile Met Glu Ile Phe 5			1066
tta ctg tcc atc gga ccg Leu Leu Ser Ile Gly Pro 20			1114
aag cgc gaa gga ctc att Lys Arg Glu Gly Leu Ile 35	gcg gtt ctt ctc gtg		1162
gtc ttt ttg ttc atc gcc Val Phe Leu Phe Ile Ala 50 55			1210
gcc gcg ccg atc gtg ctc Ala Ala Pro Ile Val Leu 70	gat att atg cgc tgg Asp Ile Met Arg Trp 75	ggt ggc atc gct tac Gly Gly Ile Ala Tyr . 80	1258
ctg tta tgg ttt gcc gtc Leu Leu Trp Phe Ala Val 85			1306
gtg gaa gcg cca cag atc Val Glu Ala Pro Gln Ile 100			1354
gac acg cct ttg ggc ggt Asp Thr Pro Leu Gly Gly 115	tcg gcg gtg gcc act Ser Ala Val Ala Thr 120	gac acg cgc aac cgg Asp Thr Arg Asn Arg 125	1402
gtg cgg gtg gag gtg agc Val Arg Val Glu Val Ser 130 135			1450
atg ttg atg gca atc gtg Met Leu Met Ala Ile Val 150	ctg acc tgg ttg aac Leu Thr Trp Leu Asn 155	ccg aat gcg tat ttg Pro Asn Ala Tyr Leu 160	1498
gac gcg ttt gtg ttt atc Asp Ala Phe Val Phe Ile 165			1546
gga cgg tgg att ttc gcc Gly Arg Trp Ile Phe Ala 180	gct ggc gcg ttc gcg Ala Gly Ala Phe Ala 185	gca agc ctg atc tgg Ala Ser Leu Ile Trp 190	1594
ttc ccg ctg gtg ggt ttc Phe Pro Leu Val Gly Phe 195	ggc gca gca gca ttg Gly Ala Ala Ala Leu 200	tca cgc ccg ctg tcc Ser Arg Pro Leu Ser 205	1642

ago occ aag gtg tgg ogo tgg ato aac gto gto gtg goa gtt gtg atg  $_{\circ}$  1690 Ser Pro Lys Val Trp Arg Trp Ile Asn Val Val Val Ala Val Val Met 210 215 220 acc gca ttg gcc atc aaa ctg atg ttg atg ggt tag ttttcgcggg 1736 Thr Ala Leu Ala Ile Lys Leu Met Leu Met Gly 230 A STATE OF THE ttttggaatc ggtggccttc gcccaaatgt tgatgccggc gtcgtgggaa atctcatcga 1796 tegectecaa eteggegtea gaaaacteca, agttgttgag tgaateaagg etgttgteca 1856 314 34 getgeteaac tgacgaagea ecaateaatg caetggteae ggtateegeg eegtaetete 1916 cttgctcgcg cagcacccat gcaagcgcca tctgcgcaag tgactgcccg cgttcctggg 1976 cgatgtcatt gagcttgcgg accatatcaa tattgttcac gttcaacatg ccctcagaca 2036 gggacttacc ctggctggcg cgggaaccct ctggaattcc atcgagatat ttgtccgtga 2096 gcaggccctg cgcaagtggt gagaaagcaa tgacgccaaag accattgttg gcagctgact 2156 gcaacaagtt ctcaccgtca tcgcccggtt/cctccaccca acgattaatg atggaatagc 2216 ttggctgatg aatcagaagc gggcagccct cctccgccat gaactcagcc gcctccgctg 2276 tgagetetgg acegtaggaa gaaataeeea: egtaaagage ettteeagae geaacaatgt 2336 cacgcaatgc gtacatggtt tcttccaaag gagtatct 2374

<210> 2 <211> 236 <212> PRT <213> Corynebacterium glutamicum <220> (LysE) 22237 E <400> 2 Met Val Ile Met Glu Ile Phe Ile Thr. Gly Leu Leu Gly Ala Ser 10 To A Thomas Leu Leu Ser Ile Gly Pro Gln Asn Val Leu Val Ile Lys Gln Gly Ile Lys Arg Glu Gly Leu Ile Ala Val Leu Val Cys Leu Ile Ser 35 Asp Val Phe Leu Phe Ile Ala Gly Thr Leu Gly Val Asp Leu Leu Ser Asn Ala Ala Pro Ile Val Leu Asp Ile Met Arg Trp Gly Gly Ile Ala 75

Tyr Leu Leu Trp Phe Ala Val Met Ala Ala Lys Asp Ala Met Thr Asn

90 د ولاستاني

```
Lys Val Glu Ala Pro Gln Ile Ile Glu Glu Thr Glu Pro Thr Val Pro
                               100
                                                                                 105
                                                                          · 204 /4 [1] 经现代
Asp Asp Thr Pro Leu Gly Gly Ser Ala Val Ala Thr Asp Thr Arg Asn
                                                                       120
Arg Val Arg Val Glu Val Ser Val Asp Lys Gln Arg Val Trp Val Lys
                                                             135
Pro Met Leu Met Ala Ile Val Leu Thr Trp Leu Asn Pro Asn Ala Tyr
                                                                                           155
Leu Asp Ala Phe Val Phe Ile Gly Gly Val Gly Ala Gln Tyr Gly Asp
                                                                                          170
Thr Gly Arg Trp Ile Phe Ala Ala Gly Ala Phe Ala Ala Ser Leu Ile
                                                                                 185
Trp Phe Pro Leu Val Gly Phe Gly Ala Ala Ala Leu Ser Arg Pro Leu
                                                                       200
Ser Ser Pro Lys Val Trp Arg Trp İle Asn Val Val Val Ala Val Val 210 215 220
Met Thr Ala Leu Ala Ile Lys Leu Met Leu Met Gly
                                                   230
<210> 3
<211> 2374
<212> DNA
<213> Corynebacterium glutamicum
<220> (complement to <210> 1)
                                                              (complement to SEQ ID No.1) please use this format

unstead of 221071; otherwise,

the CRF software

a acc atg tac gca ttg cgt gac att gtt gcg 49

1 Thr Met Tyr Ala Leu Arg Asp Ile Val Ala

10

15

(21071 as a

gtg ggt att tct tcc tac ggt cca gag ctc

Val Gly Ile Ser Ser Tyr Gly Pro Glu Leu

25

30

Leve this format

21071 otherwise,

21071 otherwise,

The CRF software

21071 otherwise,

<221> unsure
<222>CDS (2)..(652)
<223>orf3
<220>
<221>gene
<222>CDS (1421)..(2293)
<223>LysG
<400> 3
a gat act cct ttg gaa gaa acc atg tac gca ttg cgt gac att gtt gcg 49
     Asp Thr Pro Leu Glu Glu Thr Met Tyr Ala Leu Arg Asp Ile Val Ala
tct gga aag gct ctt tac gtg ggt att tct tcc tac ggt cca gag ctc
Ser Gly Lys Ala Leu Tyr Val Gly Ile Ser Ser Tyr Gly Pro Glu Leu
aca gcg gag gcg gct gag ttc atg gcg gag gag ggc tgc ccg ctt ctg
                                                                                                                                                                         145
Thr Ala Glu Ala Ala Glu Phe Met Ala Glu Glu Gly Cys Pro Leu Leu
                       35
                                                                          40
```

N . M. A. . .

							Ile	Ile	Asn		Trp			gaa Glu		193
														ggt Gly		241
														gac Asp 95		289
														aag Lys		337
														cgc Arg		385
								Gly	Ğln		Leu			atg Met		433
														acc Thr		481
														aac Asn 175		529
														gag Glu		577
														aag Lys		625
				acc Thr				taa	ççç	atcaa	aca 1	cagt	ttga	at		672
ggc	caato	gcg (	gtcat	caca	aa ct	tgcca	acgao	gad	gtt	gatc	cago	egeca	aca (	cctt	ggggct	732
ggad	cagc	ggg (	egtga	acaat	tg ct	tgct	gege	c gaa	aacco	cacc	agc	gggaa	acc a	agato	cagget	792
tgccgcgaac gcgccagcgg cgaaaatcca ccgtccggtg tcgccgtatt gcgcgccgac													852			
gccgccgata aacacaaacg cgtccaaata cgcattcggg ttcaaccagg tcagcacgat													912			
tgccatcaac atgggcttta cccaaacccg ctgcttatcg acgctcacct ccacccgcac												972				
ccg	gttgo	ege (	gtgt	cagt	gg co	cacco	gccga	a acc	cgcc	caaa	ggc	gtgt	cat (	cggg	cacggt	1032
							·. :		1.2							
				, 				52	in si	्र • .						

tggttctgtt tcttcaatga tctgtggcgc ttccaccttg tttgtcatgg cgtctttcgc 1092														
tgccatgacg gcaaaccata acaggtaagc gatgccaccc cagcgcataa tatcgagcac 1152														
gatcggcgcg gcattggaca aaagatcaac gcccaaggtg ccggcgatga acaaaaagac 1212														
gtcagaaatt aaacacacga gaagaaccgc aatgagtcct tcgcgcttaa ttccttgttt 1272														
aatcaccagt acattetgeg gteegatgga cagtaaaaga etggeeecca aaagcagace 1332														
tgtaatgaag atttccatga tcaccatcgt gacctatgga agtacttaag taaaatgatt 1392														
ggttcttaac atggtttaat atagcttc atg aac ccc att caa ctg gac act  Met Asn Pro Ile Gln Leu Asp Thr  220 225														
ttg ctc tca atc att gat gaa ggc agc ttc gaa ggc gcc tcc tta gcc 1492 Leu Leu Ser Ile Ile Asp Glu Gly Ser Phe Glu Gly Ala Ser Leu Ala 230 235 240														
ctt tcc att tcc ccc tcg gcg gtg agt cag cgc gtt aaa gct ctc gag Leu Ser Ile Ser Pro Ser Ala Val Ser Gln Arg Val Lys Ala Leu Glu 245 250 255														
cat cac gtg ggt cga gtg ttg gta tcg cgc acc caa ccg gcc aaa gca His His Val Gly Arg Val Leu Val Ser Arg Thr Gln Pro Ala Lys Ala 260 265 1 200 270														
acc gaa gcg ggt gaa gtc ctt gtg caa gcg cgg aaa atg gtg ttg  Thr Glu Ala Gly Glu Val Leu Val Gln Ala Ala Arg Lys Met Val Leu  275  280  1636														
ctg caa gca gaa act aaa gcg caa cta tct gga cgc ctt gct gaa atc Leu Gln Ala Glu Thr Lys Ala Gln Leu Ser Gly Arg Leu Ala Glu Ile 290 295 300 305														
ccg tta acc atc gcc atc aac gca gat tcg cta tcc aca tgg ttt cct 1732 Pro Leu Thr Ile Ala Ile Asn Ala Asp Ser Leu Ser Thr Trp Phe Pro 310 315 320														
ccc gtg ttc aac gag gta gct tct tgg ggt gga gca acg ctc acg ctg Pro Val Phe Asn Glu Val Ala Ser Trp Gly Gly Ala Thr Leu Thr Leu 325 330 335														
cgc ttg gaa gat gaa gcg cac aca tta tcc ttg ctg cgg cgt gga gat 1828 Arg Leu Glu Asp Glu Ala His Thr Leu Ser Leu Leu Arg Arg Gly Asp 340 345 350														
gtt tta gga gcg gta acc cgt gaa gct aat ccc gtg gcg gga tgt gaa 1876 Val Leu Gly Ala Val Thr Arg Glu Ala Asn Pro Val Ala Gly Cys Glu 355 360 365														
gta gta gaa ctt gga acc atg cgc cac ttg gcc att gca acc ccc tca 1924 Val Val Glu Leu Gly Thr Met Arg His Leu Ala Ile Ala Thr Pro Ser 370 385														
ttg cgg gat gcc tac atg gtt gat ggg aaa cta gat tgg gct gcg atg 1972														

Leu A	Arg	Asp	Ala	Tyr 390	Met	Val	Asp	Gly		Leu	Asp	Trp	Ala	Ala 400	Met	
ccc o								Asp		Leu						2020
gac ( Asp (																2068
ccg t																2116
gga o Gly 1 450																2164
gtg a							Pro		Asp	Thr						2212
cga t Arg '							Ser									2260
gtt d Val A										tag	ttad	ettet	ga a	aaagq	gttcag	2313
ggtti	tttc	ac t	tctt	cgc	cc go	cagga	aatto	g <sup>J</sup> ggd	ccago	gcag	agta	acao	cct 1	tcago	caaatg	2373
g							4,1	75,20		300 m						2374
<210 <211		6								• .						
<212	> PF	T	. 1 4			4										
<213: <220:	<u> </u>			ceri	ım g.	Lutar	nicur	•		٠٠ ج ا		∠.			_	
<400°							٠	**	- 1 <sub>1</sub> 95.5 - 1 - 25.5	,						
Asp 1	Thr	Pro	Leu	Glu 5	Glu	Thr	Met	Tyr	Ala 10	Leu		Asp	Ile	Val 15	Ala	
Ser (	Gly	Lys	Ala 20	Leu	Tyr	Val	Gly	Ile 25	Ser	Ser	Ţyr	Gly	Pro 30	Glu	Leu	
Thr A	Ala	Glu 35	Ala	Ala	Glu	Phe	Met 40		Glu		Gly	Cys 45	Pro	Leu	Leu	
Ile I	His 50	Gln	Pro	Ser	Tyr	Ser 55	Ile	Ile	Asn	Arg	Trp 60	Val	Glu	Glu	Pro	
Gly A																

Medy Jan Agra Magazia Magazia

Gly Val Ile Ala Phe Ser Pro Leu Ala Gln Gly Leu Leu Thr Asp Lys 90 Tyr Leu Asp Gly Ile Pro Glu Gly Ser Arg Ala Ser Gln Gly Lys Ser 105 To being it to GT Leu Ser Glu Gly Met Leu Asn Val Asn Asn Ile Asp Met Val Arg Lys 120 125 Leu Asn Asp Ile Ala Gln Glu Arg Gly Gln Ser Leu Ala Gln Met Ala 135 ... Leu Ala Trp Val Leu Arg Glu Gln Gly Glu Tyr Gly Ala Asp Thr Val 150 Thr Ser Ala Leu Ile Gly Ala Ser Ser Val Glu Gln Leu Asp Asn Ser 170 Leu Asp Ser Leu Asn Asn Leu Glu Phe Ser Asp Ala Glu Leu Glu Ala 185 Ile Asp Glu Ile Ser His Asp Ala Gly Ile Asn Ile Trp Ala Lys Ala 200 Asn Thr Asp Ser Lys Thr Arg Glu Asn 215 Park ton the <210> 5 <211> 290 <212> PRT <213> Corynebacterium glutamicum <220> (LysG) ر2237 <400> 5 Met Asn Pro Ile Gln Leu Asp Thr Leu Leu Ser Ile Ile Asp Glu Gly 10 . Ser Phe Glu Gly Ala Ser Leu Ala Leu Ser Ilè Ser Pro Ser Ala Val 1. 1. 12**5**, 13. 3. 3. 3. 3. 3. Ser Gln Arg Val Lys Ala Leu Glu His His Val Gly Arg Val Leu Val 40 75 75 864 Ser Arg Thr Gln Pro Ala Lys Ala Thr Glu Ala Gly Glu Val Leu Val 55 1 Top Aut 1, 1. 60 Gln Ala Ala Arg Lys Met Val Leu Leu Gln Ala Glu Thr Lys Ala Gln 70 7.5 Leu Ser Gly Arg Leu Ala Glu Ile Pro Leu Thr Ile Ala Ile Asn Ala 90 Asp Ser Leu Ser Thr Trp Phe Pro Pro Val Phe Asn Glu Val Ala Ser 105 100

09/105,1175 10

Trp Gly Gly Ala Thr Leu Thr Leu Arg Leu Glu Asp Glu Ala His Thr 115 120 125 Leu Ser Leu Leu Arg Arg Gly Asp Val Leu Gly Ala Val Thr Arg Glu 135 Ala Asn Pro Val Ala Gly Cys Glu Val Val Glu Leu Gly Thr Met Arg 150 His Leu Ala Ile Ala Thr Pro Ser Leu Arg Asp Ala Tyr Met Val Asp 170 . Gly Lys Leu Asp Trp Ala Ala Met Pro Val Leu Arg Phe Gly Pro Lys 185 Asp Val Leu Gln Asp Arg Asp Leu Asp Gly Arg Val Asp Gly Pro Val 200 Gly Arg Arg Val Ser Ile Val Pro Ser Ala Glu Gly Phe Gly Glu 215 ा होरापू असाह भिन्न है Ala Ile Arg Arg Gly Leu Gly Trp Gly Leu Leu Pro Glu Thr Gln Ala 230 235 2 Ver Inch Egy Ala Pro Met Leu Lys Ala Gly Glu Val Ile Leu Leu Asp Glu Ile Pro 245 250 Ile Asp Thr Pro Met Tyr Trp Gln Arg Trp Arg Leu Glu Ser Arg Ser 265 Leu Ala Arg Leu Thr Asp Ala Val Val Asp Ala Ala Ile Glu Gly Leu 280

that the c

137

Arg Pro 290

FZJ 9910 PCT/US 8/8 12.11.02 US 09/105,117

delete